


# 99/100


## Plastic Enclosure



Grey cover	Clear cover	Metal mounting plate	WxHxD	Dimension(mm)		
				W3	H3	D1+D2
TGG-0812	TGC-0812	TB-0812	80x120x50	88	88	40+14
TGG-1010	TGC-1010	TB-1010	100x100x50	108	68	40+14
TGG-1115	TGC-1115	TB-1115	110x150x70	137	98	49+25
TGG-1419	TGC-1419	TB-1419	140x190x70	177	128	51+25
TGG-1924	TGC-1924	TB-1924	190x240x90	226	170	70+25
TGG-1924-1	TGC-1924-1	TB-1924-1	190x240x160	226	170	70+96
TGG-2230	TGC-2230	TB-2230	220x300x120	280	200	76+50
TGG-3038	TGC-3038	TB-3038	300x380x120	278	281	78+50

## Plastic Enclosure

The enclosure is according to EN60529 standard, free from corrosion, compressive property and insulation, widely used in electronics, communications, firefighting apparatus, control panels, terminal boxes, public accommodation, ship industry, food industry etc. We always give top priority to quality and safety, your satisfaction is guaranteed. Protection degree : IP66 Temperature range:-40°C~+80°C ABS: Acrylonitrile Butadiene Styrene PC: Poly Carbonate.




Screw type		Stainless steel latch+Screw type		Mounting plate		Dimension (mm)			
Grey cover	Clear cover	Grey cover	Clear cover	Plastic	Metal	WxHxD	W3	H3	D1+D2
TBG-0506	TBC-0506	TBSG-0506	TBSC-0506	-	TB-0506	50x65x55	37	52	40+15
TBG-0609	TBC-0609	TBSG-0609	TBSC-0609	-	-	65x95x55	50	79	35+20
TBG-0712	TBC-0712	TBSG--0712	TBSC--0712	TB-0712P	TB-0712	75x125x75	56	107	50+25
TBG-0712-1	TBC-0712-1	TBSG-0712-1	TBSC-0712-1	TB-0712P	TB-0712	75x125x100	56	107	50+50
TBG-0808	TBC-0808	TBSG-0808	TBSC-0808	-	TB-0808	80x80x60	62	62	45+15
TBG-0811-S	TBC-0811-S	TBSG-0811-S	TBSC-0811-S	TB-0811P	TB-0811	80x110x45	62	92	25+20
TBG-0811-1S	TBC-0811-1S	TBSG-0811-1S	TBSC-0811-1S	TB-0811P	TB-0811	80x110x60	62	92	25+35
TBG-0811	TBC-0811	TBSG-0811	TBSC-0811	TB-0811P	TB-0811	80x110x70	62	92	50+20
TBG-0811-1	TBC-0811-1	TBSG-0811-1	TBSC-0811-1	TB-0811P	TB-0811	80x110x85	62	92	50+35
TBG-0813	TBC-0813	TBSG-0813	TBSC-0813	TB-0813P	TB-0813	80x130x70	62	112	50+20
TBG-0813-1	TBC-0813-1	TBSG-0813-1	TBSC-0813-1	TB-0813P	TB-0813	80x130x85	62	112	50+35
TBG-0816-S	TBC-0816-S	TBSG-0816-S	TBSC-0816-S	TB-0816P	TB-0816	80x160x55	68	148	40+15
TBG-0816	TBC-0816	TBSG-0816	TBSC-0816	TB-0816P	TB-0816	80x160x90	68	148	75+15
TBG-0818	TBC-0818	TBSG-0818	TBSC-0818	TB-0818P	TB-0818	80x180x70	62	162	50+20
TBG-0818-1	TBC-0818-1	TBSG-0818-1	TBSC-0818-1	TB-0818P	TB-0818	80x180x85	62	162	50+35
TBG-0825	TBC-0825	TBSG-0825	TBSC-0825	TB-0825P	TB-0825	80x250x70	62	232	50+20
TBG-0825-1	TBC-0825-1	TBSG-0825-1	TBSC-0825-1	TB-0825P	TB-0825	80x250x85	62	232	50+35
TBG-1010	TBC-1010	TBSG-1010	TBSC-1010	-	TB-1010	100x100x85	75	82	55+20
TBG-1018	TBC-1018	TBSG-1018	TBSC-1018	-	TB-1018	100x180x75	75	155	60+15
TBG-1022	TBC-1022	TBSG-1022	TBSC-1022	-	TB-1022	100x223x75	75	198	60+15
TBG-1212-S	TBC-1212-S	TBSG-1212-S	TBSC-1212-S	TB-1212P	TB-1212	125x125x75	105	105	55+20
TBG-1212	TBC-1212	TBSG-1212	TBSC-1212	TB-1212P	TB-1212	125x125x100	105	105	80+20
TBG-1217	TBC-1217	TBSG-1217	TBSC-1217	TB-1217P	TB-1217	125x175x75	108	156	50+25
TBG-1217-1	TBC-1217-1	TBSG-1217-1	TBSC-1217-1	TB-1217P	TB-1217	125x175x100	108	156	50+50
TBG-1220	TBC-1220	TBSG-1220	TBSC-1220	-	TB-1220	120x200x75	102	182	60+15
TBG-1417	TBC-1417	TBSG-1417	TBSC-1417	TB-1417P	TB-1417	140x170x95	122	152	75+20
TBG-1423	TBC-1423	TBSG-1423	TBSC-1423	TB-1423P	TB-1423	140x230x90	121	211	70+20
TBG-1520-S	TBC-1520-S	TBSG-1520-S	TBSC-1520-S	TB-1520P	TB-1520	150x200x75	131	182	50+25
TBG-1520	TBC-1520	TBSG-1520	TBSC-1520	TB-1520P	TB-5120	150x200x100	131	182	80+20
TBG-1520-1	TBC-1520-1	TBSG-1520-1	TBSC-1520-1	TB-1520P	TB-1520	150x200x130	131	182	80+50
TBG-1525	TBC-1525	TBSG-1525	TBSC-1525	TB-1525P	TB-1525	150x250x100	132	232	80+20
TBG-1525-1	TBC-1525-1	TBSG-1525-1	TBSC-1525-1	TB-1525P	TB-1525	150x250x130	132	232	80+50

# 101/102

## Plastic Enclosure


Beautiful appearance, excellent processing and stability should be guaranteed by material such as High Intensity ABS, PC, AC Polyester assured flammability material and Glass 30% annexing material. The use is convenient for the installation of Terminal Box, the supply Switchboard, Apparatus Box, electrical power supply and Control Box etc.



Screw type		Stainless steel latch+Screw type		Mounting plate		Dimension (mm)			
Grey cover	Clear cover	Grey cover	Clear cover	Plastic	Metal	WxHxD	W3	H3	D1+D2
TBG-1717	TBC-1717	TBSG-1717	TBSC-1717	TB-717P	TB-717	175x175x75	155	155	50+25
TBG-1717-1	TBC-1717-1	TBSG-1717-1	TBSC-1717-1	TB-717P	TB-717	175x175x100	155	155	50+50
TBG-1725	TBC-1725	TBSG-1725	TBSC-1725	TB-725P	TB-725	175x250x75	157	232	50+25
TBG-1725-1	TBC-1725-1	TBSG-1725-1	TBSC-1725-1	TB-725P	TB-725	175x250x100	157	232	50+50
TBG-2020-S	TBC-2020-S	TBSG-2020-S	TBSC-2020-S	TB-2020P	TB-2020	200x200x95	182	182	75+20
TBG-2020	TBC-2020	TBSG-2020	TBSC-2020	TB-2020P	TB-2020	200x200x130	182	182	110+20
TBG-2025	TBC-2025	TBSG-2025	TBSC-2025	-	TB-2025	200x250x100	178	223	75+25
TBG-2819	TBC-2819	TBSG-2819	TBSC-2819	TB-2819P	TB-2819	280x190x130	165	255	100+30
TBG-2819-1	TBC-2819-1	TBSG-2819-1	TBSC-2819-1	TB-2819P	TB-2819	280x190x180	165	255	100+80
TBG-2828	TBC-2828	TBSG-2828	TBSC-2828	TB-2828P	TB-2828	280x280x130	255	255	100+30
TBG-2828-1	TBC-2828-1	TBSG-2828-1	TBSC-2828-1	TB-2828P	TB-2828	280x280x180	255	255	100+80
TBG-2838	TBC-2838	TBSG-2838	TBSC-2838	TB-2838P	TB-2838	280x380x130	355	255	100+30
TBG-2838-1	TBC-2838-1	TBSG-2838-1	TBSC-2838-1	TB-2838P	TB-2838	280x380x180	355	255	100+80
TBG-3428	TBC-3428	TBSG-3428	TBSC-3428	TB-3428P	TB-3428	340x280x130	255	315	100+30
TBG-3428-1	TBC-3428-1	TBSG-3428-1	TBSC-3428-1	TB-3428P	TB-3428	280x380x180	355	255	100+80
TBG-3819-S	TBC-3819-S	TBSG-3819-S	TBSC-3819-S	-	TB-3819	380x190x100	165	355	70+30
TBG-3819	TBC-3819	TBSG-3819	TBSC-3819	-	TB-3819	380x190x130	165	355	100+30
TBG-3819-1	TBC-3819-1	TBSG-3819-1	TBSC-3819-1	-	TB-3819	380x190x180	165	35	150+30
TBG-3856	TBC-3856	TBSG-3856	TBSC-3856	-	TB-3856	380x560x180	354	534	150+30

## Plastic Enclosure

Out of the plastic boxes which are selling at present. It is ability are most excellent, the competitive power is much higher with the low price same as the level of steel box. The products were added the EMI and preventing substance of the static electricity, and the strong point was given to the relevant mechanical protection of electricity, electron and etc. The uses are possible according to the size such as small Terminal Box, Signal, Terminal and Pull, Control Box etc.



Grey cover	Clear cover	Mounting plate		WxHxD	Dimension (mm)		
		plastic	metal		W3	H3	D1+D2
THG-1015	THC-1015	TB-1015P	TB-1015	100x150x70	116	66	50+20
THG-1020	THC-1020	TB-1020P	TB-1020	100x200x70	165	65	50+20
THG-1515	THC-1515	TB-1515P	TB-1515	150x150x90	120	115	70+20
THG-1722	THC-1722	TB-1722P	TB-1722	170x220x110	186	136	80+30
THG-1929	THC-1929	TB-1929P	TB-1929	190x290x140	254	156	110+30
THG-2530	THC-2530	TB-2530P	TB-2530	250x300x150	231	281	110+40
THG-2535	THC-2535	TB-2535P	TB-2535	250x350x180	221	321	140+40
THG-2939	THC-2939	TB-2939P	TB-2939	290x390x160	361	251	132+28
THG-3030	THC-3030	TB-3030P	TB-3030	300x300x130	280	280	100+30

# 103/104


## Plastic latch+hinge type

Grey cover	Clear cover	Metal mounting plate	WxHxD	Dimension(mm)	
				D1	D2
TBDG-2030-S	TBDC-2030-S	TB-2030	200x200x150	120	30
TBDG-2030	TBDC-2030	TB-2030	200x300x180	130	50
TBDG-3030	TBDC-3030	TB-3030	300x300x180	130	50
TBDG-3040	TBDC-3040	TB-3040	300x400x180	130	50
TBDG-4050	TBDC-4050	TB-4050	400x500x200	150	50
TBDG-4060	TBDC-4060	TB-4060	400x600x220	170	50

## Locks+hinge type

Grey cover	Clear cover	WxHxD	Dimension(mm)	
			D1	D2
TBK-2030	TBT-2030	200x300X180	130	50
TBK-3030	TBT-3030	300X300X180	130	50
TBK-3040	TBT-3040	300x400X180	130	50
TBK-4030	TBT-4030	400X300X180	130	50
TBK-4050	TBT-4050	400x500x200	150	50
TBK-4060	TBT-4080	400x600x220	150	50

## Plastic latch+hinge type



Grey cover	Clear cover	Metal mounting plate	WxHxD	Dimension(mm)	
				D1	D2
PDG-3627	PDC-3627	TB-3627	270X360X170	125	45